

Device Manager

Device Manager Software CD-Rom
v. 06.01.04

LIST OF SUPPORTED DEVICES

LISTA DEGLI STRUMENTI COMPATIBILI • LISTA DE DISPOSITIVOS SOPORTADOS
• LISTE DER UNTERSTÜTZTEN GERÄTEFAMILIEN • LISTE D'INSTRUMENTS COMPATIBLES •
ПЕРЕЧЕНЬ ПОДДЕРЖИВАЕМЫХ ПРИБОРОВ

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для протокола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
Energy ST500 / ST700 / SB_SD_SC600 (Centralised Air-Conditioning Units)	1	ST54X		X	X	X	X	X	287	-	1, 2, 3, 7, 8	X	X	1200 2400 4800 9600 19200 38400 58600 115200
	2	ST55X		X	X	X	X	X	287	-	4, 5, 6	X	X	
	3	ST54X_CUSTOM1		X	X	X	X	X	402	140	1	X	X	
	4	ST55X_CUSTOM1		X	X	X	X	X	402	140	2	X	X	
	5	SB64X		X	X	X	X	X	331	118	1	X	X	
	6	SB65X		X	X	X	X	X	331	118	2	X	X	
	7	ST74X		X	X	X	X	X	377	127	1	X	X	
	8	ST75X		X	X	X	X	X	377	127	2	X	X	
	9	SB_SD_SC64X		X	X	X	X	X	387	125	1	X	X	
	10	SB_SD_SC65X		X	X	X	X	X	387	125	2	X	X	
	11	SD_SC63X		X	X	X	X	X	387	125	3	X	X	
	12	SBW_SDW_SCW64X		X	X	X	X	X	386	126	1	X	X	
	13	SBW_SDW_SCW65X		X	X	X	X	X	386	126	2	X	X	
	14	SD_SC63X		X	X	X	X	X	386	126	3	X	X	
Valvola di espansione Elettronica	15	ID985_V		X	X	X	X	X	372	-	1	X		1200 2400 4800

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для про-токола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
	16	ID984_V MERCADONA			X			X	411	-	1	X		9600 19200 38400 58600 115200
	17	V800_P		X	X	X	X	X	371	135	1	X	X	
ID_PLUS	18	IDPLUS_961		X	X	X	X	X	396	-	1	X		
	19	IDPLUS_971		X	X	X	X	X	396	-	2	X		
	20	IDPLUS_974		X	X	X	X	X	396	-	3	X		
EWCM 32X74	21	EWCM4120		X	X	X	X	X	401	-	1	X	X	1200 2400
	22	EWCM4150		X	X	X	X	X	401	-	3	X	X	4800 9600
	23	EWCM4180		X	X	X	X	X	401	-	2	X	X	19200 38400 58600 115200
EW_PLUS	24	EW PLUS 961		X	X	X	X	X	436	155	1	X		
	25	EW PLUS 971		X	X	X	X	X	436	155	2	X		
	26	EW PLUS 974		X	X	X	X	X	436	155	3	X		
	27	EW PLUS 902		X	X	X	X	X	436	155	4	X		
	28	EW PLUS 961 2SONDE		X	X	X	X	X	436	155	5	X		
ID PLUS V2	29	ID PLUS 902 V2		X	X	X	X	X	447	162	1	X	X	
	30	ID PLUS 961 V2		X	X	X	X	X	447	162	2	X	X	9600
	31	ID PLUS 971 V2		X	X	X	X	X	447	162	3	X	X	
	32	ID PLUS 974 V2		X	X	X	X	X	447	162	4	X	X	
XVD_420_RS485 XVD_100_ACTUATOR XVD_420_DIGITAL	33	XVD_420_485		X	X	X	X	X	417	164	1	X	X	1200 2400
	34	XVD_100_000		X	X	X	X	X	417	164	2	X	X	4800 9600
	35	XVD_420_000		X	X	X	X	X	417	164	3	X	X	19200 38400 58600 115200
ENERGY SH600	36	SDH_SCH65X		X	X	X	X	X	416	151	2	X	X	1200 2400
	37	SDH_SCH63X		X	X	X	X	X	416	151	3	X	X	4800 9600 19200 38400

ELIWELL CONTROLS srl
Via dell' Industria, 15 Z.I. Paludi
32010 Pieve d' Alpage (BL)
- ITALY -
T: +39 0437 986 111
F: +39 0437 989 066
www.eliwell.it

Technical Support:
T: +39 0437 986 300
E: techsuppeliwell@schneider-electric.com

Device Manager
06/17
GB • IT • ES • DE • FR • RU
Cod. RDA17XX001

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для про-токола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
														58600 115200
DR4000	38	UC_DR4010 ELWFRA		X	X	X	X	X	433	169	4	X		
	39	UC_DR4020 ELWFRA		X	X	X	X	X	433	169	3	X		
SB_SD_SC600_V2 (Centralised Air-Conditioning Units)	40	SB_SD_SC64X_V2		X	X	X	X	X	444	160	1	X	X	1200 2400
	41	SB_SD_SC65X_V2		X	X	X	X	X	444	160	2	X	X	4800 9600
	42	SD_SC63X_V2		X	X	X	X	X	444	160	3	X	X	19200 38400 58600 115200
EW_PLUS_EO	43	EWPLUS_961_EO		X	X	X	X	X	442	170	1	X	X	
	44	EWPLUS_974_EO		X	X	X	X	X	442	170	2	X	X	9600
	45	EWPLUS_971_EO		X	X	X	X	X	442	170	3	X	X	
ENERGY_SBW_SDW_SCW600_CUSTOM1	46	SW65X_CUSTOM1		X	X	X	X	X	457	168	2	X	X	1200_2400 4800_9600 19200_38400 58600_115200
Energy ST500	47	ST544_PWM		X	X	X	X	X	475	185	1	X	X	1200_2400 4800_9600 19200_38400 58600_115200
DR4000	48	UC_DR_4020_TC_New_Interface		X	X	X	X	X	432	175	2	X		
	49	UC_DR_4022_TC_New_Interface		X	X	X	X	X	432	175	1	X		
	50	UC_DR_4022_NTC_PT1000_New_Interface		X	X	X	X	X	433	169	1	X		
	51	UC_DR_4022_PT100_New_Interface		X	X	X	X	X	433	169	2	X		
	52	UC_DR_4020_PT100_New_Interface		X	X	X	X	X	433	169	5	X		
	53	UC_DR_4022_V_New_Interface		X	X	X	X	X	453	176	1	X		
	54	UC_DR_4020_V_I_New_Interface		X	X	X	X	X	453	176	3	X		
	55	UC_DR_4020_V_New_Interface		X	X	X	X	X	453	176	5	X		
ID PLUS V2	56	ID PLUS 978 V2		X	X	X	X	X	447	162	5	X	X	9600
ENERGY_SBW_SDW_SCW600	57	SW64X_CUSTOM1		X	X	X	X	X	457	168	1	X	X	1200_2400

ELIWELL CONTROLS srl
Via dell' Industria, 15 Z.I. Paludi
32010 Pieve d' Alpago (BL)
- ITALY -
T: +39 0437 986 111
F: +39 0437 989 066
www.eliwell.it

Technical Support:
T: +39 0437 986 300
E: techsuppeliwell@schneider-electric.com

Device Manager
06/17
GB • IT • ES • DE • FR • RU
Cod. RDA17XX001

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для про-токола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
CUSTOM1														4800_9600 19200_38400 58600_115200
EW_PLUS_EO	58	EWPLUS_971_PTC		X	X	X	X	X	442	170	4	X	X	9600
	59	EWPLUS_974_PTC		X	X	X	X	X	442	170	5	X	X	
EWPLUS LVD	60	EWPLUS_974_EO_LV_D		X	X	X	X	X	470	191	1	X	X	9600
	61	EWPLUS_961_EO_LV_D		X	X	X	X	X	470	191	2	X	X	9600
	62	EWPLUS_971_EO_LV_D		X	X	X	X	X	470	191	3	X	X	9600
EWPLUS_978_4_RELE	63	EWPLUS_978_4_RELE		X	X	X	X	X	479	196	1	X	X	9600
IWP2ND	64	RTX600_V		X	X	X	X	X	451	181	2	X	no	
IWP2ND	65	RTX600_V_R2		X	X	X	X	X	509	209	2	X	X	9600 19200 38400
EWPLUS_EO	66	EWPLUS_961_EO_DIS_PENSER		X	X	X	X	X	500	205	1	X		
EWPLUS_EO_V2_0	67	EWPLUS_974_EO_V2_0		X	X	X	X	X	502	202	3	X	X	9600
XVD_420_LAN_V2	68	XVD_420_LAN_V2		X	X	X	X	X	497	203	1	X	X	1200 2400 4800 9600 19200 38400 58600 115200
SBA_SDA_SCA65X	69	SBA_SDA_SCA65X		X	X	X	X	X	464	201	2	X	X	1200 2400 4800 9600 19200 38400 58600 115200
EWPLUS_EO_V2_0	70	EWPLUS_971_EO_V2_0		X	X	X	X	X	502	202	4	X	X	9600
IWP2ND	71	RTX600		X	X	X	X	X	509	209	3	X	X	9600 19200 38400
	72	RTN600		X	X	X	X	X	509	209	4	X	X	
IWP985LX	73	IWP_985LX		X	X	X	X	X	508	211	1	X		
EW_PLUS	74	EWPLUS_971_NA		X	X	X	X	X	436	155	6	X		

ELIWELL CONTROLS srl
Via dell' Industria, 15 Z.I. Paludi
32010 Pieve d' Alpage (BL)
- ITALY -
T: +39 0437 986 111
F: +39 0437 989 066
www.eliwell.it

Technical Support:
T: +39 0437 986 300
E: techsuppeliwell@schneider-electric.com

Device Manager
06/17
GB • IT • ES • DE • FR • RU
Cod. RDA17XX001

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для про-токола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
	75	EWPLUS_974_NA		X	X	X	X	X	436	155	7	X		
ID_PLUS_V2	76	ENERGY_ST_120		X	X	X	X	X	447	162	7	X		
Televis IN	77	Televis IN		X	X	X	X	X	499	208	1	X	X	9600
Televis OUT	78	Tlevis OUT		X	X	X	X	X	499	208	2	X	X	9600
IWP2ND	79	RTD600_V		X	X	X	X	X	509	209	6	X	X	9600 19200 38400
EWPLUS ECHO	80	EWPLUS974_ECHO		X	X	X	X	X	517	216	1	X		
	81	EWPLUS961_ECHO		X	X	X	X	X	517	216	2	X		
	82	EWPLUS971_ECHO		X	X	X	X	X	517	216	3	X		
DRIVER XVD	83	XVD_100_000_V2		X	X	X	X	X	497	203	2	X	X	1200 2400 4800 9600 19200 38400 58600 115200
	84	XVD_420_000_V2		X	X	X	X	X	497	203	3	X	X	
	85	XVD_420_485_V2		X	X	X	X	X	497	203	4	X	X	
	86	XVD_420_LAN_V2		X	X	X	X	X	497	203	1	X	X	
DRIVER XVD	87	XVD_OPEN_LAN		X	X	X	X	X	512	216	1	X	X	
EWCM_EO	88	EWCM_9900_EO_18D		X	X	X	X	X	504	217	1	X	X	9600 19200 38400
	89	EWCM_9100_EO_13D		X	X	X	X	X	504	217	2	X	X	
	90	EWCM_8900_EO_13D		X	X	X	X	X	504	217	3	X	X	
IWP750	91	IWP750_CHEST_F		X	X	X	X	X	495	200	1	X		
DRIVER V910	92	V910		X	X	X	X	X	496	220	1	X	X	1200 2400 4800 9600 19200 38400 58600 115200
IWP2ND	93	RTN400_3P_S_C		X	X	X	X	X	510	210	2		X	9600 19200 38400
	94	RTN400_5P_O_C_Y		X	X	X	X	X	510	210	3		X	9600 19200 38400
IWP760 PUMP DOWN	95	IWP_MONOBLOCK_PUMP_DOWN		X	X	X	X	X	520	225	1	X		

ELIWELL CONTROLS srl
Via dell' Industria, 15 Z.I. Paludi
32010 Pieve d' Alpage (BL)
- ITALY -
T: +39 0437 986 111
F: +39 0437 989 066
www.eliwell.it

Technical Support:
T: +39 0437 986 300
E: techsuppeliwell@schneider-electric.com

Device Manager
06/17
GB • IT • ES • DE • FR • RU
Cod. RDA17XX001

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для про-токола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
EWCM PROTECTION TIMER 32X74	96	EWCM4120_PROTECTION_TIMER		X	X	X	X	X	540	-	1	X	X	9600 19200 38400 58600 115200
	97	EWCM4150_PROTECTION_TIMER		X	X	X	X	X	540	-	3	X	X	
	98	EWCM4180_PROTECTION_TIMER		X	X	X	X	X	540	-	2	X	X	
EWPLUS ECHO	99	EWPLUS961_ECHO_2 SONDE		X	X	X	X	X	517	216	5	X		
ICPLUS	100	ICPLUS 902-A NTC/PTC		X	X	X	X	X	523	226	1	X	X	9600 19200 38400
	101	ICPLUS 902 NTC/PTC		X	X	X	X	X	523	226	2	X	X	
	102	ICPLUS 915 NTC/PTC		X	X	X	X	X	523	226	3	X	X	
	103	ICPLUS 915 V/I		X	X	X	X	X	524	227	1	X	X	
	104	ICPLUS 915 PT100/TC		X	X	X	X	X	525	228	1	X	X	
V910_V2	105	V910		X	X	X	X	X	547	245	1	X	X	1200 2400 4800 9600 19200 38400 58600 115200
V910_V2	106	V900_CUSTOM		X	X	X	X	X	547	245	2	X	X	1200 2400 4800 9600 19200 38400 58600 115200
V910_V2	107	V900		X	X	X	X	X	547	245	3	X	X	1200 2400 4800 9600 19200 38400 58600 115200
SBA_SDA_SCA65X	108	SBA_SDA_SCA65X_CUSTOM2		X	X	X	X	X	528	229	2	X	X	1200 2400 4800 9600 19200 38400 58600 115200

ELIWELL CONTROLS srl
Via dell' Industria, 15 Z.I. Paludi
32010 Pieve d' Alpage (BL)
- ITALY -
T: +39 0437 986 111
F: +39 0437 989 066
www.eliwell.it

Technical Support:
T: +39 0437 986 300
E: techsuppeliwell@schneider-electric.com

Device Manager
06/17
GB • IT • ES • DE • FR • RU
Cod. RDA17XX001

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для про-токола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
IWP750	109	IWP750_monoblock_custom1		X	X	X	X	X	520	225	2	X		
IWP2ND	110	RTN400_5P_NTC_S_C_sealed_relays		X	X	X	X	X	510	210	3		X	9600 19200 38400
EWPLUS_EO	111	EWPLUS974_EO_SMA_RT_CONTROL		X	X	X	X	X	513	224	1	X		
EWPLUS974_EO_RTC	112	EWPLUS974_EO_RTC		X	X	X	X	X	538	236	1	X	X	9600
EWPLUS LVD V2	113	EWPLUS_961_EO_LV_D_V2		X	X	X	X	X	549	242	1	X	X	9600
	114	EWPLUS_971_EO_LV_D_V2		X	X	X	X	X	549	242	2	X	X	9600
	115	EWPLUS_974_EO_LV_D_V2		X	X	X	X	X	549	242	3	X	X	9600
IWP2ND	116	RTN400_3P_NTC_Monoblocco		X	X	X	X	X	510	210	5		X	9600 19200 38400
	117	RTX600_V_PID		X	X	X	X	X	509	209	7	X	X	9600 19200 38400
DRIVER XVD	118	XVD_420_LAN_V3		X	X	X	X	X	497	203	1	X	X	1200 2400 4800 9600 19200 38400 58600 115200
IWP750	119	IWP750_MONOBLOCK_CUSTOM1_V2		X	X	X	X	X	565	255	1	X		
ICPLUS	120	ICPLUS 902-A PT100/TC		X	X	X	X	X	525	228	3	X	X	9600 19200 38400
	121	ICPLUS 902 PT100/TC		X	X	X	X	X	525	228	2	X	X	
	122	ICPLUS 902 V/I		X	X	X	X	X	524	227	2	X	X	
EWPLUS_EO	123	EWPLUS978_EO_SMA_RT_CONTROL		X	X				513	224	2	X		
ABBATTITORE	124	ABBATTITORE_LOW_END_STANDARD		X	X				566	256	1		X	9600 19200 38400
EWPLUS_EO	125	EWPLUS974_EO_SMA_RT_CONTROL_V2		X	X				571	261	1	X	X	9600
	126	EWPLUS978_EO_SMA_RT_CONTROL_V2		X	X				571	261	2	X	X	
neW	127	neW961_FASTON		X	X				522	240	1		X	9600
	128	neW961_VITE		X	X				522	240	2		X	

ELIWELL CONTROLS srl
Via dell' Industria, 15 Z.I. Paludi
32010 Pieve d' Alpage (BL)
- ITALY -
T: +39 0437 986 111
F: +39 0437 989 066
www.eliwell.it

Technical Support:
T: +39 0437 986 300
E: techsuppeliwell@schneider-electric.com

Device Manager
06/17
GB • IT • ES • DE • FR • RU
Cod. RDA17XX001

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для про-токола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
	129	neW971_FASTON		X	X				550	246	2		X	
	130	neW971_VITE		X	X				550	246	1		X	
ABBATTITORE	131	ABBATTITORE_TOUCH_HIDDEN_PARAMETERS		X	X	X	X	X	560	252	2		X	9600
CHILLER	132	TOUCH_BLAST_CHILLER_STD		X	X	X	X	X	560	252	1		X	9600
EWPLUS	133	EWPLUS_978_RELE_BACINELLA		X	X	X	X	X	518	215	5	X	X	9600
EWPLUS	134	EWPLUS_961_EO_DISPENSER_DEFROST_MSK519_MOD2		X	X	X	X	X	519	219	2	X	X	9600
SBA_SDA_SCA65X	135	SBA_SDA_SCA64X_MSK528_MOD1		X	X	X	X	X	528	229	1	X	X	9600 19200 38400 58600 115200
Valvola di espansione Elettronica	136	V800_P_MSK371_MOD2		X	X	X	X	X	371	135	2	X	X	9600 19200 38400 58600 115200
IDPLUS	137	IDPLUS_961_ICE_BANK		X	X	X	X	X	500	205	2	X	X	9600
COLD FACEFACE	138	EWRC300_NT_2HP_BUZZER_MSK554		X	X	X	X	X	554	251	1	X	X	9600 19200 38400 58600 115200
	139	EWRC500_NT_2HP_BUZZER_MSK554		X	X	X	X	X	554	251	2	X	X	9600 19200 38400 58600 115200
	140	EWRC500_NT_2HP_RTC_HACCP_BUZ_MSK554		X	X	X	X	X	554	251	3	X	X	9600 19200 38400 58600 115200
EMPLUS	141	EMPLUS_NTC_PTC_MSK592		X	X	X	X	X	592	274	1	X	X	
	142	EMPLUS_VI_MSK593		X	X	X	X	X	593	275	1	X	X	
	143	EMPLUS_PT100_TC_MSK594		X	X	X	X	X	594	276	1	X	X	
EWPLUS	144	EWPLUS_978_EO_RTC_3APP_4RELAYS_MSK608		X	X				608	289	1	X	X	

ELIWELL CONTROLS srl
Via dell' Industria, 15 Z.I. Paludi
32010 Pieve d' Alpage (BL)
- ITALY -
T: +39 0437 986 111
F: +39 0437 989 066
www.eliwell.it

Technical Support:
T: +39 0437 986 300
E: techsuppeliwell@schneider-electric.com

Device Manager
06/17
GB • IT • ES • DE • FR • RU
Cod. RDA17XX001

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для про-токола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
	145	EWPLUS_974_EO_MS K612_MOD2		X	X	X	X	X	612	291	2	X	X	
	146	EWPLUS_974_ECHO_ MSK517_MOD7		X	X	X	X	X	517	216	7	X	X	
	147	EWPLUS_978_EO_MS K502_MOD2		X	X	X	X	X	502	202	2	X	X	
nEW	148	neW961_VITE_MSK52 2_MOD3		X	X	X	X	X	522	240	3		X	
FAN COIL	149	FAN_COIL_MSK605_ MOD1			X				605	290	1		X	
SBA_SDA_SCA6 5X	150	SB_SD_SC65X_V2_M SK633_MOD2		X	X	X	X	X	633	311	2	X	X	1200 2400 4800 9600 19200 38400 58600 115200
IWP2ND	151	RTN400_VCS_5P_NT C_MSK611_MOD1_M SK611		X	X	X	X	X	611	302	1	X	X	
nEW	152	neW971_FASTON_MS K550_MOD3_MSK550		X	X	X	X	X	550	246	3		X	
nEW	153	neW974_VITE_MSK60 2_MOD3_MSK550		X	X	X	X	X	602	283	3		X	
nEW	154	nEW961_NA_MSK626		X	X	X	X	X	626	305	1		X	
nEW	155	nEW971_SPDT_NA_ MSK626		X	X	X	X	X	626	305	2		X	
nEW	156	nEW971_NA_MSK626		X	X	X	X	X	626	305	3		X	
nEW	157	nEW974_NA_MSK626		X	X	X	X	X	626	305	4		X	
EWPLUS	158	EWPLUS_971_SEALED _MSK630_MOD1		X	X	X	X	X	630	312	1	X	X	
EWPLUS	159	EWPLUS_974_SEALED _MSK630_MOD2		X	X	X	X	X	630	312	2	X	X	
EWPLUS	160	EWPlus_400		X	X	X	X	X	436	155	10	X		
BLASTCHILLERPlus	161	BLASTCHILLERPlus_M SK603		X	X				603	303	1		X	
COLD FACEFACE	162	EWRC500_NT_2HP_B UZZER_MSK554_MO D4		X	X	X	X	X	554	251	4	X	X	9600 19200 38400 58600 115200
COLD FACEFACE	163	EWRC500_NT_2HP_R TC_HACCP_BUZ_MS K554_MOD5		X	X	X	X	X	554	251	5	X	X	9600 19200 38400 58600 115200

ELIWELL CONTROLS srl
Via dell' Industria, 15 Z.I. Paludi
32010 Pieve d' Alpago (BL)
- ITALY -
T: +39 0437 986 111
F: +39 0437 989 066
www.eliwell.it

Technical Support:
T: +39 0437 986 300
E: techsuppeliwell@schneider-electric.com

Device Manager
06/17
GB • IT • ES • DE • FR • RU
Cod. RDA17XX001

Series	List Nr.	Model	Model language						Family ID	MFK ID	Model ID	Protocol type		Baud Rate for Modbus protocol
Serie	No. Lista	Modello	Lingue Disponibili						Famiglia ID	MFK ID	Modello ID	Protocollo		Baud Rate per protocollo Modbus
Series	Lista N.	Modelo	Idiomas disponibles						Familia ID	MFK ID	Modelo ID	Tipo Protocolo		Baud Rate para protocolo Modbus
Serie	Nr. Liste	Typ	Verfügbare Sprachen						Produkt familie ID	MFK ID	Typ ID	Protokoll		Baud Rate für Modbus Protokoll
Séries	N° de liste	Modèles	Langue						Famille ID	MFK ID	Modèles ID	Protocoles		Baud Pour le Protocole Modbus
Серии	№ в пер.	Модель	Доступные языки						Код серии	Код модели	Тип протокола	Скорость для про-токола Modbus		
			RU	ENG	ITA	FRE	GER	SPA				Eliwell	Modbus	
EWCM CRII	164	EWCM_436D_CRII_MSK635		X	X	X	X	X	635	313	1		X	9600 19200 38400 58600 115200
EWTS	165	EWTS_MSK223		X	X				223	46	1	X		
EWPLUS	166	EWPLUS961_MSK642_MOD1		X	X	X	X	X	642	325	1	X	X	
IDPLUS	167	IDPLUS_974_MSK637_MOD1		X	X	X	X	X	637	315	1	X	X	
FAN COIL	168	FAN_COIL_MSK654_MOD1		X	X	X	X	X	654	333	1		X	
EWPLUS	169	EWPLUS_961_ECHO_PTC_MSK517_MOD8		X	X	X	X	X	517	216	8	X	X	
Driver Valvola	170	V910_V3_MSK656_MOD1		X	X	X	X	X	656	245	1		X	
Abbattitore	171	Abbattitore_low_end_defrost_MSK673_MOD1		X	X	X	X	X	673	341	1		X	
EWPLUS	172	EWPLUS_978_EO_MSK677		X	X	X	X	X	677	345	1	X	X	
ECHO	173	ECHO_MODBUS_MSK672		X	X	X	X	X	672	349	1		X	
RTX Domino	174	RTX_600_V_DOMINO_MSK639		X	X	X	X	X	639	317	1		X	
RTX Domino	175	RTD_600_V_DOMINO_MSK639		X	X	X	X	X	663	317	2		X	

ELIWELL CONTROLS srl
Via dell' Industria, 15 Z.I. Paludi
32010 Pieve d' Alpage (BL)
- ITALY -
T: +39 0437 986 111
F: +39 0437 989 066
www.eliwell.it

Technical Support:
T: +39 0437 986 300
E: techsuppeliwell@schneider-electric.com

Device Manager
06/17
GB • IT • ES • DE • FR • RU
Cod. RDA17XX001